

Taxometrics References

Updated November 24, 2008

- Ambrosini, P., Bennett, D. S., Cleland, C. M., & Haslam, N. (2002). Taxonicity of adolescent melancholia: A categorical or dimensional construct? *Journal of Psychiatric Research, 36*, 247-256.
- Arnau, R. C., Green, B. A., Rosen, D. H., Gleaves, D. H., & Melancon, J. G. (2003). Are Jungian preferences really categorical? An empirical investigation using taxometric analysis. *Personality and Individual Differences, 34*, 233-251.
- Arnau, R. C., Thompson, R. L., & Cook, C. (2001). Do different response formats change the latent structure of responses? An empirical investigation using taxometric analysis. *Educational and Psychological Measurement, 61*, 23-44.
- Asmundson, G. J. G., Collimore, K. C., Bernstein, A., Zvolensky, M. J., & Hadjistavropoulos, H. D. (2007). Is the latent structure of fear of pain continuous or discontinuous among pain patients? Taxometric analysis of the pain anxiety symptoms scale. *Journal of Pain, 8*, 387-395.
- Baldwin, G., & Shean, G. (2006). A taxometric study of the Center for Epidemiological Studies Depression scale. *Psychology Monographs, 132*, 101-128.
- Beach, S. R. H., & Amir, N. (2003). Is depression taxonic, dimensional, or both? *Journal of Abnormal Psychology, 112*, 228-236.
- Beach, S. R. H., & Amir, N. (2006). Self-reported depression is taxonic. *Journal of Psychopathology and Behavioral Assessment, 28*, 171-178.
- Beach, S. R. H., Amir, N., & Bau, J. J. (2005). Can sample-specific simulations help detect low base-rate taxonicity? *Psychological Assessment, 17*, 446-461.
- Beach, S. R. H., Fincham, F. D., Amir, N., & Leonard, K. E. (2005). The taxometrics of marriage: Is marital discord categorical? *Journal of Family Psychology, 19*, 276-285.
- Beauchaine, T. P. (2003). Taxometrics and developmental psychopathology. *Development and*

Psychopathology, 15, 501-527.

- Beauchaine, T. P., & Beach, S. R. H. (2006). Taxometrics and relational processes: Relevance and challenges for the next nosology of mental disorders. In Beach, S. R. H., Wamboldt, M. Z., Kaslow, N. J., Heyman, R. E., First, M. B., et al. (Eds.), *Relational processes and DSM-V: Neuroscience, assessment, prevention, and treatment* (pp. 123-137). Washington, DC: American Psychiatric Association.
- Beauchaine, T. P., & Beauchaine, R. J. (2002). A comparison of maximum covariance and k-means cluster analysis in classifying cases into known taxon groups. *Psychological Methods*, 7, 245-261.
- Beauchaine, T. P., Lenzenweger, M. F., & Waller, N. G. (2008). Schizotypy, taxometrics, and disconfirming theories in soft science: Comment on Rawlings, Williams, Haslam, and Claridge. *Personality and Individual Differences*, 44, 1652-1662.
- Beauchaine, T. P., & Marsh, P. (2006). Taxometric methods: Enhancing early detection and prevention of psychopathology by identifying latent vulnerability traits. In D. Cicchetti & D. J. Cohen (Eds.), *Developmental psychopathology, Vol. 1: Theory and method* (2nd ed., pp. 931-967). Hoboken, NJ: Wiley.
- Beauchaine, T. P., & Waters, E. (2003). Pseudotaxonicity in MAMBAC and MAXCOV analyses of rating scale data: Turning continua into classes by manipulating observers' expectations. *Psychological Methods*, 8, 3-15.
- Bernstein, A., Leen-Feldner, E. W., Kotov, R., Schmidt, N. B., & Zvolensky, M. J. (2006). Test of a panic-relevant diathesis-stress model using a taxonic index of anxiety sensitivity. In J. Sanfelippo (Ed.), *Panic disorders: New research* (pp. 15-40). Hauppauge, NY: Nova Biomedical Books.
- Bernstein, A., Zvolensky, M. J., Feldner, M. T., Lewis, S. F., & Leen-Feldner, E. W. (2005). Anxiety sensitivity taxonicity: A concurrent test of cognitive vulnerability for post-traumatic stress symptomatology among young adults. *Cognitive Behaviour Therapy*, 34, 229-241.
- Bernstein, A., Zvolensky, M. J., Kotov, R., Arrindell, W. A., Taylor, S., Sandin, B., Cox, B. J., Stewart, S. H., Bouvard, M., Cardenas, S. J., Eifert, G. H., & Schmidt, N. B. (2006). Taxonicity of anxiety

- sensitivity: A multi-national analysis. *Journal of Anxiety Disorders*, 20, 1-22.
- Bernstein, A., Zvolensky, M. J., Norton, P. J., Schmidt, N. B., Taylor, S., Forsyth, J. P., Lewis, S. F., Feldner, M. T., Leen-Feldner, E. W., Stewart, S. H., & Cox, B. (2007). Taxometric and factor analytic models of anxiety sensitivity: Integrating approaches to latent structural research. *Psychological Assessment*, 19, 74-87.
- Bernstein, A., Zvolensky, M. J., Stewart, S. H., & Comeau, M. N. (2007). Taxometric and factor analytic models of anxiety sensitivity among youth: Exploring the latent structure of anxiety psychopathology vulnerability. *Behavior Therapy*, 38, 269-283.
- Bernstein, A., Zvolensky, M. J., Stewart, S. H., Comeau, M. N., & Leen-Feldner, E. W. (2006). Anxiety sensitivity taxonicity across gender among youth. *Behaviour Research and Therapy*, 44, 679-698.
- Bernstein, A., Zvolensky, M. J., Weems, C., Stickle, T., & Leen-Feldner, E. W. (2005). Taxonicity of anxiety sensitivity: An empirical test among youth. *Behaviour Research and Therapy*, 43, 1131-1155.
- Blanchard, J. J., Gangestad, S. W., Brown, S. A., & Horan, W. P. (2000). Hedonic capacity and schizotypy revisited: Analysis of social anhedonia. *Journal of Abnormal Psychology*, 109, 87-95.
- Blanchard, J. J., Horan, W. P., & Collins, L. M. (2005). Examining the latent structure of negative symptoms: Is there a distinct subtype of negative symptom schizophrenia? *Schizophrenia Research*, 77, 151-165.
- Broman-Fulks, J. J., Green, B. A., Berman, M. E., Olatunji, B. O., Arnau, R. C., Deacon, B. J., & Sawchuk, C. N. (2008). The latent structure of anxiety sensitivity—revisited. *Assessment*, 15, 188-203.
- Broman-Fulks, J. J., Ruggiero, K. J., Green, B. A., Kilpatrick, D. G., Danielson, C. K., Resnick, H. S., & Saunders, B. E. (2006). Taxometric investigation of PTSD: Data from two nationally representative samples. *Behavior Therapy*, 37, 364-380.
- Brown, T. A. (2001). Taxometric methods and the classification and comorbidity of mental disorders: Methodological and statistical considerations. *Clinical Psychology: Science and Practice*, 8, 534-

- Cleland, C., & Haslam, N. (1996). Robustness of taxometric analysis with skewed indicators: I. A Monte Carlo study of the MAMBAC procedure. *Psychological Reports, 79*, 243-248.
- Cleland, C. M., Rothschild, L., & Haslam, N. (2000). Detecting latent taxa: Monte Carlo comparison of taxometric, mixture model, and clustering procedures. *Psychological Reports, 87*, 37-47.
- Cole, D. A. (2004). Taxometrics in psychopathology research: An introduction to some of the procedures and related methodological issues. *Journal of Abnormal Psychology, 113*, 3-9.
- Dahlstrom, W. G. (1995). Pigeons, people, and pigeon-holes. *Journal of Personality Assessment, 64*, 2-20.
- Dollaghan, C. A. (2004). Taxometric analyses of specific language impairment in 3- and 4-year-old children. *Journal of Speech, Language, and Hearing Research, 47*, 464-475.
- Edens, J. F., Marcus, D. K., Lilienfeld, S. O., & Poythress, N. G., Jr. (2006). Psychopathic, not psychopath: Taxometric evidence for the dimensional structure of psychopathy. *Journal of Abnormal Psychology, 115*, 131-144.
- Edens, J. F., Marcus, D. K., & Ruiz, M. A. (2008). Taxometric analyses of borderline personality features in a large-scale male and female offender sample. *Journal of Abnormal Psychology, 117*, 705-711.
- Erlenmeyer-Kimling, L., Golden, R. R., & Cornblatt, B. A. (1989). A taxometric analysis of cognitive and neuromotor variables in children at risk for schizophrenia. *Journal of Abnormal Psychology, 98*, 203-208.
- Ferguson, E. (in press). A taxometric analysis of health anxiety. *Psychological Medicine*.
- Fossati, A., Beauchaine, T. P., & Grazioli, F. (2005). A latent structure analysis of *Diagnostic and Statistical Manual of Mental Disorders*, Fourth Edition, narcissistic personality disorder criteria. *Comprehensive Psychiatry, 46*, 361-367.
- Foster, J. D., & Campbell, W. K. (2007). Are there such things as "Narcissists" in social psychology? A taxometric analysis of the Narcissistic Personality Inventory. *Personality and Individual*

Differences, 43, 1321-1332.

- Fraley, R. C., & Spieker, S. J. (2003). Are infant attachment patterns continuously or categorically distributed? A taxometric analysis of strange situation behavior. *Developmental Psychology*, 39, 387-404.
- Fraley, R. C., & Waller, N. G. (1998). Adult attachment patterns: A test of the typological model. In J. A. Simpson & W. S. Rholes (Eds.), *Attachment theory and close relationships* (pp. 77-114). New York: Guilford.
- Franklin, L. C., Strong, D. R., & Greene, R. L. (2002). A taxometric analysis of the MMPI-2 depression scales. *Journal of Personality Assessment*, 79, 110-121.
- Frazier, T. A., Youngstrom, E. W., & Naugle, R. I. (2007). The latent structure of Attention-Deficit/Hyperactivity Disorder in a clinic-referred sample. *Neuropsychology*, 21, 45-64.
- Frazier, T. W., Youngstrom, E. A., Naugle, R. I., Haggerty, K. A. & Busch, R. M. (2007). The latent structure of cognitive symptom exaggeration on the Victoria Symptom Validity Test. *Archives of Clinical Neuropsychology*, 22, 197-211.
- Gangestad, S. W., Bailey, J. M., & Martin, N. G. (2000). Taxometric analyses of sexual orientation and gender identity. *Journal of Personality and Social Psychology*, 78, 1109-1121.
- Gangestad, S., & Snyder, M. (1985). "To carve nature at its joints": On the existence of discrete classes in personality. *Psychological Review*, 92, 317-349.
- Garb, H. N. (1996). Taxometrics and the revision of diagnostic criteria. *American Psychologist*, 51, 553-554.
- Gibb, B. E., Alloy, L. B., Abramson, L. Y., Beevers, C. G., & Miller, I. W. (2004). Cognitive vulnerability to depression: A taxometric analysis. *Journal of Abnormal Psychology*, 113, 81-89.
- Ginestet, C. E., Mitchell, K., & Wellman, N. (2008). Taxometric investigation of the latent structure of nicotine dependence: An epidemiological sample. *Nicotine and Tobacco Research*, 10, 833-841.
- Gleaves, D. H., Brown, J. D., & Warren, C. S. (2004). The continuity/discontinuity models of eating disorders: A review of the literature and implications for assessment, treatment, and prevention.

Behavior Modification, 28, 739-762.

Gleaves, D. H., Lowe, M. R., Green, B. A., Cororve, M. B., & Williams, T. L. (2000). Do anorexia and bulimia nervosa occur on a continuum? A taxometric analysis. *Behavior Therapy*, 31, 195-219.

Gleaves, D. H., Lowe, M. R., Snow, A. C., Green, B. A., & Murphy-Eberenz, K. P. (2000). Continuity and discontinuity models of bulimia nervosa: A taxometric investigation. *Journal of Abnormal Psychology*, 109, 56-68.

Golden, R. R. (1982). A taxometric model for the detection of a conjectured latent taxon. *Multivariate Behavioral Research*, 17, 389-416.

Golden, R. R. (1991). Bootstrapping taxometrics: On the development of a method for detection of a single major gene. In D. Cicchetti & W. M. Grove (Eds.), *Thinking clearly about psychology* (Vol. 2, pp. 259-294). Minneapolis: University of Minnesota Press.

Golden, R. R., Campbell, M., & Perry, R. (1987). A taxometric method for diagnosis of tardive dyskinesia. *Journal of Psychiatric Research*, 21, 233-241.

Golden, R. R., Gollob, H. F., & Watt, N. F. (1983). Bootstrapping conjectural indicators of vulnerability for schizophrenia: A reply to Faraone's critique of Watt, Grubb, and Erlenmeyer-Kimling. *Journal of Consulting and Clinical Psychology*, 51, 937-939.

Golden, R. R., & Mayer, M. J. (1995). Peaked indicators: A source of pseudotaxonicity of a latent trait. In D. Lubinski & R. Dawis (Eds.), *Assessing individual differences in human behavior: New concepts, methods, and findings* (pp. 93-115). Palo Alto, CA: Consulting Psychologists Press.

Golden, R. R., & Meehl, P. E. (1973). Detecting latent clinical taxa, IV: An empirical study of the maximum covariance method and the normal minimum chi-square method using three MMPI keys to identify the sexes. *Reports from the research laboratories of the Department of Psychiatry, University of Minnesota*, Report No. PR-73-2.

Golden, R. R., & Meehl, P. E. (1973). Detecting latent clinical taxa, V: A Monte Carlo study of the maximum covariance method and associated consistency tests. *Reports from the research laboratories of the Department of Psychiatry, University of Minnesota*, Report No. PR-73-3.

- Golden, R. R., & Meehl, P. E. (1974). Detecting latent clinical taxa, VIII: A preliminary study in the detection of the schizoid taxon using MMPI items as indicators. *Reports from the research laboratories of the Department of Psychiatry, University of Minnesota*, Report No. PR-74-6.
- Golden, R. R., & Meehl, P. E. (1979). Detection of the schizoid taxon with MMPI indicators. *Journal of Abnormal Psychology*, 88, 217-233.
- Golden, R. R., & Meehl, P. E. (1980). Detection of biological sex: An empirical test of cluster methods. *Multivariate Behavioral Research*, 15, 475-496.
- Golden, R. R., Tyan, S. H., & Meehl, P. E. (1974). Detecting latent clinical taxa, VI: Analytical development and empirical trials of the consistency hurdles theory. *Reports from the research laboratories of the Department of Psychiatry, University of Minnesota*, Report No. PR-74-4.
- Golden, R. R., Tyan, S. H., & Meehl, P. E. (1974). Detecting latent clinical taxa, VII: Maximum likelihood solution and empirical and artificial data trials of the multi-indicator multi-taxonomic class normal theory. *Reports from the research laboratories of the Department of Psychiatry, University of Minnesota*, Report No. PR-74-5.
- Golden, R. R., Tyan, S. H., & Meehl, P. E. (1974). Detecting latent clinical taxa, IX: A Monte Carlo method for testing taxometric theories. *Reports from the research laboratories of the Department of Psychiatry, University of Minnesota*, Report No. PR-74-7.
- Golden, R. R., Vaughan, H. G., Jr., Kurtzberg, D., & McCarton, C. M. (1988). Detection of neonatal brain dysfunction without the use of a criterion variable: Analysis of the statistical problem with an illustrative example. In P. Vietze & H. G. Vaughan, Jr. (Eds.), *Early identification of infants at risk for mental retardation* (pp. 71-95). Orlando: Grune and Stratton, Inc.
- Goodman, M., Weiss, D. S., Mitropoulou, V., New, A., Koenigsberg, H., Silverman, J. M., & Siever, L. (2003). The relationship between pathological dissociation, self-injury and childhood trauma in patients with personality disorders using taxometric analyses. *Journal of Trauma and Dissociation*, 4, 65-88.
- Gordon, K., Holm-Denoma, J., Smith, A., Fink, E., & Joiner, T. E., Jr. (2007). Taxometric analysis:

- Introduction and overview. *International Journal of Eating Disorders*, 40(Supl.), S35-S39.
- Grayson, D. A. (1987). Can categorical and dimensional views of psychiatric illness be distinguished? *British Journal of Psychiatry*, 151, 355-361.
- Grove, W. M. (1991). The validity of cluster analysis stopping rules as detectors of taxa. In D. Cicchetti & W. M. Grove (Eds.), *Thinking clearly about psychology* (Vol. 1, pp. 313-329). Minneapolis: University of Minnesota Press.
- Grove, W. M. (1991). When is a diagnosis worth making? A statistical comparison of two prediction strategies. *Psychological Reports*, 68, 3-17.
- Grove, W. M. (2004). The MAXSLOPE taxometric procedure: Mathematical derivation, parameter estimation, consistency tests. *Psychological Reports*, 95, 517-550.
- Grove, W. M., Andreasen, N. C., Young, M., Endicott, J., Keller, M. B., Hirschfeld, R. M. A., Reich, T. (1987). Isolation and characterization of a nuclear depressive syndrome. *Psychological Medicine*, 17, 471-484.
- Grove, W. M., & Meehl, P. E. (1993). Simple regression-based procedures for taxometric investigations. *Psychological Reports*, 73, 707-737.
- Guay, J., Ruscio, J., Hare, R., & Knight, R. A. (2007). A taxometric study of the latent structure of psychopathy: Evidence for dimensionality. *Journal of Abnormal Psychology*, 116, 701-716.
- Hankin, B. L., Fraley, R. C., Lahey, B. B., & Waldman, I. D. (2005). Is depression best viewed as a continuum or discrete category? A taxometric analysis of childhood and adolescent depression in a population-based sample. *Journal of Abnormal Psychology*, 114, 96-110.
- Harris, G. T., Rice, M. E., Hilton, N. Z., Lalumiere, M. L., & Quinsey, V. L. (2007). Coercive and precocious sexuality as a fundamental aspect of psychopathy. *Journal of Personality Disorders*, 21, 1-27.
- Harris, G. T., Rice, M. E., & Quinsey, V. L. (1994). Psychopathy as a taxon: Evidence that psychopaths are a discrete class. *Journal of Consulting and Clinical Psychology*, 62, 387-397.
- Haslam, N. (1994). Categories of social relationship. *Cognition*, 53, 59-90.

- Haslam, N. (1997). Evidence that male sexual orientation is a matter of degree. *Journal of Personality and Social Psychology*, 73, 862-870.
- Haslam, N. (1999). Taxometric and related methods in relationships research. *Personal Relationships*, 6, 519-534.
- Haslam, N. (2002). Kinds of kinds: A taxonomy of psychiatric categories. *Philosophy, Psychiatry, & Psychology*, 9, 203-217.
- Haslam, N. (2003). Categorical versus dimensional models of mental disorder: The taxometric evidence. *Australian and New Zealand Journal of Psychiatry*, 37, 696-704.
- Haslam, N. (2003). The dimensional view of personality disorders: A review of the taxometric evidence. *Clinical Psychology Review*, 23, 75-93.
- Haslam, N. (2007). The latent structure of mental disorders: A taxometric update on the categorical vs. dimensional debate. *Current Psychiatry Reviews*, 3, 172-177.
- Haslam, N., & Beck, A. T. (1994). Subtyping major depression: A taxometric analysis. *Journal of Abnormal Psychology*, 103, 686-692.
- Haslam, N., & Bornstein, B. H. (1996). Envy and jealousy as discrete emotions: A taxometric analysis. *Motivation and Emotion*, 20, 255-272.
- Haslam, N., & Cleland, C. (1996). Robustness of taxometric analysis with skewed indicators: II. A Monte Carlo study of the MAXCOV procedure. *Psychological Reports*, 79, 1035-1039.
- Haslam, N., & Cleland, C. (2002). Taxometric analysis of fuzzy categories: A Monte Carlo study. *Psychological Reports*, 90, 401-404.
- Haslam, N., & Kim, H. (2002). Categories and continua: A review of taxometric research. *Genetic, Social, and General Psychology Monographs*, 128, 271-320.
- Haslam, N., Porter, M., & Rothschild, L. (2001). The parallel/serial distinction in visual search: A matter of degree or a matter of kind? *Psychonomic Bulletin and Review*, 8, 742-746.
- Haslam, N., & Williams, B. (2006). Taxometrics. In S. Strack (Ed.), *Differentiating normal and abnormal personality* (2nd ed., pp. 283-308). New York: Springer.

- Haslam, N., Williams, B. J., & Kyrios, M. (2005). Subtyping obsessive-compulsive disorder: A taxometric analysis. *Behavior Therapy, 36*, 381-391.
- Haslam, N., Williams, B., Prior, M., Haslam, R., Graetz, B., & Sawyer, M. (2006). The latent structure of attention-deficit/hyperactivity disorder: A taxometric analysis. *Australian and New Zealand Journal of Psychiatry, 40*, 639-647.
- Holland, J. M., Neimeyer, R. A., Boelen, P. A., & Prigerson, H. G. (in press). The underlying structure of grief: A taxometric investigation of prolonged and normal reactions to loss. *Journal of Psychopathology and Behavioral Assessment*.
- Horan, W. P., Blanchard, J. J., Gangestad, S. W., & Kwapil, T. R. (2004). The psychometric detection of schizotypy: Do putative schizotypy indicators identify the same latent class? *Journal of Abnormal Psychology, 113*, 339-357.
- Ingram, D. G., Takahashi, T. N., & Miles, J. H. (2008). Defining autism subgroups: A taxometric solution. *Journal of autism and developmental disorders, 38*, 950-960.
- Joiner, T. E., Jr., & Schmidt, N. B. (2002). Taxometrics can “do diagnostics right” (and isn’t quite as hard as you think). In L. E. Beutler & M. L. Malik (Eds.), *Rethinking the DSM: A psychological perspective* (pp. 107-120). Washington, DC: American Psychological Association.
- Kessler, R. C. (2002). Epidemiological perspectives for the development of future diagnostic systems. *Psychopathology, 35*, 158-161.
- Kessler, R. C. (2002). The categorical versus dimensional assessment controversy in the sociology of mental illness. *Journal of Health and Social Behavior, 43*, 171-188.
- Kollman, D. M., Brown, T. A., Liverant, G. I., & Hofmann, S. G. (2006). A taxometric investigation of the latent structure of DSM-IV social anxiety disorder in outpatients with anxiety and mood disorders. *Depression and Anxiety, 23*, 190-199.
- Korfine, L., & Lenzenweger, M. F. (1995). The taxonicity of schizotypy: A replication. *Journal of Abnormal Psychology, 104*, 26-31.
- Kotov, R., Schmidt, N. B., Lerew, D. R., Joiner, T. E., & Ialongo, N. S. (2005). Latent structure of

- anxiety: Taxometric exploration. *Psychological Assessment*, *17*, 369-374.
- Lenzenweger, M. F. (1993). Explorations in schizotypy and the psychometric high-risk paradigm. In L. J. Chapman, J. P. Chapman, & D. C. Fowles (Eds.), *Progress in experimental personality and psychopathology research, Vol. 16* (pp. 66-116). New York: Springer.
- Lenzenweger, M. F. (1999). Deeper into the schizotypy taxon: On the robust nature of maximum covariance analysis. *Journal of Abnormal Psychology*, *108*, 182-187.
- Lenzenweger, M. F. (2003). On thinking clearly about taxometrics, schizotypy, and genetic influences: Correction to Widiger (2001). *Clinical Psychology: Science and Practice*, *10*, 367-369.
- Lenzenweger, M. F. (2004). Consideration of the challenges, complications, and pitfalls of taxometric analysis. *Journal of Abnormal Psychology*, *113*, 10-23.
- Lenzenweger, M. F., & Korfine, L. (1992). Confirming the latent structure and base rate of schizotypy: A taxometric analysis. *Journal of Abnormal Psychology*, *101*, 567-571.
- Lenzenweger, M. F., & Korfine, L. (1995). Tracking the taxon: On the latent structure and base rate of schizotypy. In A. Raine, T. Lencz, & S. A. Mednick (Eds.), *Schizotypal personality* (pp. 135 – 167). New York: Cambridge University Press.
- Lenzenweger, M.F., McLachlan, G., & Rubin, D.B. (2007). Resolving the latent structure of schizophrenia endophenotypes using expectation-maximization-based finite mixture modeling. *Journal of Abnormal Psychology*, *116*, 16-29.
- Linscott, R. J. (2007). The latent structure and coincidence of hypohedonia and schizotypy and their validity as indices of psychometric risk for schizophrenia. *Journal of Personality Disorders*, *21*, 225-242.
- Linscott, R. J., Marie, D., Arnott, K. L., & Clarke, B. L. (2006). Over-representation of Maori New Zealanders among adolescents in a schizotypy taxon. *Schizophrenia Research*, *84*, 289-296.
- Maraun, M. D., & Slaney, K. (2005). An analysis of Meehl's MAXCOV-HITMAX procedure for the case of continuous indicators. *Multivariate Behavioral Research*, *40*, 489-518.

- Maraun, M. D., Slaney, K., & Goddyn, L. (2003). An analysis of Meehl's MAXCOV-HITMAX procedure for the case of dichotomous indicators. *Multivariate Behavioral Research, 38*, 81-112.
- Marcus, D. K., John, S. L., & Edens, J. F. (2004). A taxometric analysis of psychopathic personality. *Journal of Abnormal Psychology, 113*, 626-635.
- Marcus, D. K., Lilienfeld, S. O., Edens, J. F., & Poythress, N. G. (2006). Is antisocial personality disorder continuous or categorical? A taxometric analysis. *Psychological Medicine, 36*, 1571-1581.
- Marcus, D. K., Ruscio, J., Lilienfeld, S. O., & Hughes, K. T. (2008). Converging evidence for the latent structure of antisocial personality disorder: Consistency of taxometric and latent class analyses. *Criminal Justice and Behavior, 35*, 284-293.
- McDonald, R. P. (2003). A review of *Multivariate taxometric procedures: Distinguishing types from continua*. *Journal of Educational and Behavioral Statistics, 28*, 77-81.
- McGrath, R. E. (2008). Inferential errors in taxometric analyses of ordered three-class constructs. *Journal of Personality Assessment, 90*, 11-25.
- Meehl, P. E. (1965). Detecting latent clinical taxa by fallible quantitative indicators lacking an accepted criterion. *Reports from the research laboratories of the Department of Psychiatry, University of Minnesota*, Report No. PR-65-2.
- Meehl, P. E. (1968). Detecting latent clinical taxa, II: A simplified procedure, some additional hitmax cut locators, a single-indicator method, and miscellaneous theorems. *Reports from the research laboratories of the Department of Psychiatry, University of Minnesota*, Report No. PR-68-4.
- Meehl, P. E. (1973). MAXCOV-HITMAX: A taxonomic search method for loose genetic syndromes. In P. E. Meehl (Ed.), *Psychodiagnosis: Selected papers* (pp. 200-224). Minneapolis: University of Minnesota Press.
- Meehl, P. E. (1979). A funny thing happened to us on the way to the latent entities. *Journal of Personality Assessment, 43*, 564-581.
- Meehl, P. E. (1992). Factors and taxa, traits and types, differences of degree and differences in kind. *Journal of Personality, 60*, 117-174.

- Meehl, P. E. (1995). Bootstraps taxometrics: Solving the classification problem in psychopathology. *American Psychologist, 50*, 266-274.
- Meehl, P. E. (1995). Extension of the MAXCOV-HITMAX taxometric procedure to situations of sizable nuisance covariance. In D. Lubinski & R. Dawis (Eds.), *Assessing individual differences in human behavior: New concepts, methods, and findings* (pp. 81-92). Palo Alto, CA: Consulting Psychologists Press.
- Meehl, P. E. (1996). MAXCOV pseudotaxonicity: Reply to Miller. *American Psychologist, 51*, 1184-1186.
- Meehl, P. E. (1999). Clarifications about taxometric method. *Applied and Preventive Psychology, 8*, 165-174.
- Meehl, P. E. (2001). Comorbidity and taxometrics. *Clinical Psychology: Science and Practice, 8*, 507-519.
- Meehl, P. E. (2001). Primary and secondary hypohedonia. *Journal of Abnormal Psychology, 110*, 188-193.
- Meehl, P. E. (2004). What's in a taxon? *Journal of Abnormal Psychology, 113*, 39-43.
- Meehl, P. E., & Golden, R. R. (1982). Taxometric methods. In P. C. Kendall & J. N. Butcher (Eds.), *Handbook of research methods in clinical psychology* (pp. 127-181). New York: Wiley.
- Meehl, P. E., Lykken, D. T., Burdick, M. R., & Schoener, G. R. (1969). Identifying latent clinical taxa, III: An empirical trial of the normal single-indicator method, using MMPI Scale 5 to identify the sexes. *Reports from the research laboratories of the Department of Psychiatry, University of Minnesota*, Report No. PR-69-4.
- Meehl, P. E., & Yonce, L. J. (1994). Taxometric analysis: I. Detecting taxonicity with two quantitative indicators using means above and below a sliding cut (MAMBAC procedure). *Psychological Reports, 74*, 1059-1274.
- Meehl, P. E., & Yonce, L. J. (1996). Taxometric analysis: II. Detecting taxonicity using covariance of two quantitative indicators in successive intervals of a third indicator (MAXCOV procedure).

- Psychological Reports*, 78, 1091-1227.
- Miller, M. B. (1996). Limitations of Meehl's MAXCOV-HITMAX procedure. *American Psychologist*, 51, 554-556.
- Miller, H. R., Streiner, D. L., & Kahgee, S. L. (1982). Use of the Golden-Meehl indicators in the detection of schizoid-taxon membership. *Journal of Abnormal Psychology*, 91, 55-60.
- Murphy, E. A. (1964). One cause? Many causes? The argument from the bimodal distribution. *Journal of Chronic Disease*, 17, 301-324.
- Murrie, D. C., Marcus, D. K., Douglas, K. S., Lee, Z., Salekin, R. T., & Vincent, G. (2007). Youth with psychopathy features are not a discrete class: A taxometric analysis. *Journal of Child Psychology and Psychiatry*, 48, 714-723.
- Nichols, D. S., & Jones, R. E., Jr. (1985). Identifying schizoid-taxon membership with the Golden-Meehl MMPI items. *Journal of Abnormal Psychology*, 94, 191-194.
- Oakman, J. M., & Woody, E. Z. (1996). A taxometric analysis of hypnotic susceptibility. *Journal of Personality and Social Psychology*, 71, 980-991.
- Olatunji, B. O., & Broman-Fulks, J. J. (2007). A taxometric study of the latent structure of disgust sensitivity: Converging evidence for dimensionality. *Psychological Assessment*, 19, 437-448.
- Priscindaro, J. J., & Roberts, J. E. (2005). A taxometric investigation of unipolar depression in the National Comorbidity Survey. *Journal of Abnormal Psychology*, 114, 718-728.
- Rawlings, D., Williams, B., Haslam, N., & Claridge, G. (2008). Taxometric analysis supports a dimensional latent structure for schizotypy. *Personality and Individual Differences*, 44, 1640-1651. [see also comment by Beauchaine, Lenzenweger, & Waller (2008) and response, below]
- Rawlings, D., Williams, B., Haslam, N., & Claridge, G. (2008). Is schizotypy taxonic? Response to Beauchaine, Lenzenweger, and Waller. *Personality and Individual Differences*, 44, 1663-1672.
- Rhudy, J. L., Green, B. A., Arnau, R. C., & France, C. R. (2008). Taxometric analysis of biceps femoris EMG following electrocutaneous stimulation over the sural nerve: Determining the latent structure of the nociceptive flexion reflex (NFR). *International Journal of Psychophysiology*, 69,

18-26.

- Roisman, G. I., Fraley, R. C., & Belsky, J. (2007). A taxometric study of the Adult Attachment Interview. *Developmental Psychology, 43*, 675-686.
- Rothschild, L., Cleland, C., Haslam, N., & Zimmerman, M. (2003). A taxometric study of Borderline Personality Disorder. *Journal of Abnormal Psychology, 112*, 657-666.
- Ruscio, A. M., Borkovec, T. D., & Ruscio, J. (2001). A taxometric analysis of the latent structure of worry. *Journal of Abnormal Psychology, 110*, 413-422.
- Ruscio, A. M., & Ruscio, J. (2002). The latent structure of analogue depression: Should the BDI be used to classify groups? *Psychological Assessment, 14*, 135-145.
- Ruscio, A. M., Ruscio, J., & Keane, T. M. (2002). The latent structure of post-traumatic stress disorder: A taxometric investigation of reactions to extreme stress. *Journal of Abnormal Psychology, 111*, 290-301.
- Ruscio, J. (2000). Taxometric analysis with dichotomous indicators: The modified MAXCOV procedure and a case removal consistency test. *Psychological Reports, 87*, 929-939.
- Ruscio, J. (2007). Taxometric analysis: An empirically-grounded approach to implementing the method. *Criminal Justice and Behavior, 34*, 1588-1622.
- Ruscio, J. (2008). *Taxometric programs for the R computing environment: User's manual*. Available on the world wide web at <http://www.taxometricmethod.com>
- Ruscio, J. (in press). Assigning cases to groups using taxometric results: An empirical comparison of classification techniques. *Assessment*.
- Ruscio, J., Haslam, N., & Ruscio, A. M. (2006). *Introduction to the taxometric method: A practical guide*. Mahwah, NJ: Lawrence Erlbaum Associates, Inc.
- Ruscio, J., & Marcus, D. K. (2007). Detecting small taxa using simulated comparison data: A reanalysis of Beach, Amir, and Bau's (2005) data. *Psychological Assessment, 19*, 241-246.
- Ruscio, J., & Ruscio, A. M. (2000). Informing the continuity controversy: A taxometric analysis of depression. *Journal of Abnormal Psychology, 109*, 473-487.

- Ruscio, J., & Ruscio, A. M. (2002). A structure-based approach to psychological assessment: Matching measurement models to latent structure. *Assessment, 9*, 4-16.
- Ruscio, J., & Ruscio, A. M. (2004). Clarifying boundary issues in psychopathology: The role of taxometrics in a comprehensive program of structural research. *Journal of Abnormal Psychology, 113*, 24-38.
- Ruscio, J., & Ruscio, A. M. (2004). A conceptual and methodological checklist for conducting a taxometric investigation. *Behavior Therapy, 35*, 403-447.
- Ruscio, J., & Ruscio, A. M. (2004). A nontechnical introduction to the taxometric method. *Understanding Statistics, 3*, 151-193.
- Ruscio, J., & Ruscio, A. M. (2008). Categories and dimensions: Advancing psychological science through the study of latent structure. *Current Directions in Psychological Science, 17*(3), 203-207.
- Ruscio, J., & Ruscio, A. M., & Keane, T. M. (2004). Using taxometric analysis to distinguish a small latent taxon from a latent dimension with positively skewed indicators: The case of Involuntary Defeat Syndrome. *Journal of Abnormal Psychology, 113*, 145-154.
- Ruscio, J., Ruscio, A. M., & Meron, M. (2007). Applying the bootstrap to taxometric analysis: Generating empirical sampling distributions to help interpret results. *Multivariate Behavioral Research, 42*, 349-386.
- Ruscio, J., Zimmerman, M., McGlinchey, J. B., Chelminski, I., & Young, D. (2007). Diagnosing Major Depressive Disorder: XI. A taxometric investigation of the categorical-dimensional debate on the structure underlying *DSM-IV* symptoms. *Journal of Nervous and Mental Disease, 195*, 10-19.
- Schmidt, N. B., Kotov, R., Bernstein, A., Zvolensky, M. J., Joiner, T. E., Jr., & Lewinsohn, P. M. (2007). Mixed anxiety depression: Taxometric exploration of the validity of a diagnostic category in youth. *Journal of Affective Disorders, 98*, 83-89.
- Schmidt, N. B., Kotov, R., & Joiner, T. E., Jr. (2004). *Taxometrics: Toward a new diagnostic scheme for psychopathology*. Washington, DC: American Psychological Association.

- Schmidt, N. B., Kotov, R., Lerew, D. R., Joiner, T. E., Jr., & Ialongo, N. S. (2005). Evaluating latent discontinuity in cognitive vulnerability to panic: A taxometric investigation. *Cognitive Therapy and Research, 29*, 673-690.
- Skilling, T. A., Quinsey, V. L., & Craig, W. M. (2001). Evidence of a taxon underlying serious antisocial behavior in boys. *Criminal Justice and Behavior, 28*, 450-470.
- Slade, T., & Andrews, G. (2005). Latent structure of depression in a community sample: A taxometric analysis. *Psychological Medicine, 35*, 489-497.
- Sneed, J. R., Roose, S. P., & Sackeim, H. A. (2006). Vascular depression: A distinct diagnostic subtype? *Biological Psychiatry, 60*, 1295-1298.
- Staskon, F. C. (2006). Tactful taxometrics. *PsyCRITIQUES, 51*.
- Strong, D. R., Brown, R. A., Kahler, C. W., Lloyd-Richardson, E. E., & Niaura, R. (2004). Depression proneness in treatment-seeking smokers: A taxometric analysis. *Personality and Individual Differences, 36*, 1155-1170.
- Strong, D. R., Glassmire, D. M., Frederick, R. I., & Greene, R. L. (2006). Evaluating the latent structure of the MMPI-2 F(p) scale in a forensic sample: A taxometric analysis. *Psychological Assessment, 18*, 250-261.
- Strong, D. R., Greene, R. L., Hoppe, C., Johnston, T., & Olesen, N. (1999). Taxometric analysis of impression management and self-deception on the MMPI-2 in child-custody litigants. *Journal of Personality Assessment, 73*, 1-18.
- Strong, D. R., Greene, R. L., & Schinka, J. A. (2000). Taxometric analysis of MMPI-2 Infrequency Scales [F and F(p)] in clinical settings. *Psychological Assessment, 12*, 166-173.
- Strube, M. J. (1989). Evidence for the Type in Type A behavior: A taxometric analysis. *Journal of Personality and Social Psychology, 56*, 972-987.
- Trull, T. J., Widiger, T. A., & Guthrie, P. (1990). Categorical versus dimensional status of borderline personality disorder. *Journal of Abnormal Psychology, 99*, 40-48.
- Tylka, T. L., & Subich, L. M. (2003). Revisiting the latent structure of eating disorders: Taxometric

- analyses with nonbehavioral indicators. *Journal of Counseling Psychology*, *50*, 276-286.
- Tyrka, A. R., Cannon, T. D., Haslam, N., Mednick, S. A., Schulsinger, F., Schulsinger, H., & Parnas, J. (1995). The latent structure of schizotypy: I. Premorbid indicators of a taxon of individuals at risk for schizophrenia-spectrum disorders. *Journal of Abnormal Psychology*, *104*, 173-183.
- Tyrka, A. R., Haslam, N., & Cannon, T. D. (1995). Detection of a latent taxon of individuals at risk for schizophrenia-spectrum disorders. In A. Raine, T. Lencz, & S. A. Mednick (Eds.), *Schizotypal personality* (pp. 168 – 191). New York: Cambridge University Press.
- Vasey, M. W., Kotov, R., Frick, P. J., & Loney, B. R. (2005). The latent structure of psychopathy in youth: A taxometric investigation. *Journal of Abnormal Child Psychology*, *33*, 411-429.
- Waldman, I. D., & Lilienfeld, S. O. (2001). Applications of taxometric methods to problems of comorbidity: Perspectives and challenges. *Clinical Psychology: Science and Practice*, *8*, 520-527.
- Waller, N. G. (2006). Carving nature at its joints: Paul Meehl's development of taxometrics. *Journal of Abnormal Psychology*, *115*, 210-215.
- Waller, N. G., & Meehl, P. E. (1998). *Multivariate taxometric procedures: Distinguishing types from continua*. Thousand Oaks, CA: Sage.
- Waller, N. G., Putnam, F. W., & Carlson, E. B. (1996). Types of dissociation and dissociative types: A taxometric analysis of dissociative experiences. *Psychological Methods*, *1*, 300-321.
- Waller, N. G., & Ross, C. A. (1997). The prevalence and biometric structure of pathological dissociation in the general population: Taxometric and behavior genetic findings. *Journal of Abnormal Psychology*, *106*, 499-510.
- Walters, G. D. (2007). The latent structure of the criminal lifestyle: A taxometric analysis of the Lifestyle Criminality Screening Form and the Psychological Inventory of Criminal Thinking Styles. *Criminal Justice and Behavior*, *34*, 1623-1637.
- Walters, G. D. (2008). The latent structure of alcohol use disorders: A taxometric analysis of structured interview data obtained from male federal prison inmates. *Alcohol and Alcoholism*, *43*, 326-333.

- Walters, G. D. (in press). Latent structure of a two-dimensional model of Antisocial Personality Disorder: Construct validation and taxometric analysis. *Journal of Personality Disorders*.
- Walters, G. D., Brinkley, C. A., Magaletta, P. R., & Diamond, P. M. (in press). Taxometric analysis of the Levenson Self-Report Psychopathy Scale. *Journal of Personality Assessment*.
- Walters, G. D., Diamond, P. M., Magaletta, P. R., Geyer, M. D., & Duncan, S. A. (2007). Taxometric analysis of the Antisocial Features Scale of the Personality Assessment Inventory in federal prison inmates. *Assessment, 14*, 351-360.
- Walters, G. D., Duncan, S. A., & Mitchell-Perez, K. (2007). A taxometric investigation of the Psychopathy Checklist-Revised in a heterogeneous sample of male prison inmates. *Assessment, 14*, 270-278.
- Walters, G. D., Gray, N. S., Jackson, R. L., Sewell, K. W., Rogers, R., Taylor, J., & Snowden, R. J. (2007). A taxometric analysis of the Psychopathy Checklist: Screening Version (PCL:SV): Further evidence of dimensionality. *Psychological Assessment, 19*, 330-339.
- Walters, G. D., Hennig, C. L., Negola, T. D., & Fricke, L. A. (in press). The latent structure of alcohol dependence in female prisoners. *Addiction Research and Theory*.
- Walters, G. D., & McCoy, K. (2007). Taxometric analysis of the Psychological Inventory of Criminal Thinking Styles in incarcerated offenders and college students. *Criminal Justice and Behavior, 34*, 781-793.
- Walters, G. D., Rogers, R., Berry, D. T. R., Miller, H. A., Duncan, S. A., McCusker, P. J., Payne, J. W., & Granacher, R. P., Jr. (2008). Malingering as a categorical or dimensional construct: The latent structure of feigned psychopathology as measured by the SIRS and MMPI-2. *Psychological Assessment, 20*, 238-247.
- Walters, G. D., & Ruscio, J. (in press). To sum or not to sum: Taxometric analysis with ordered categorical assessment items. *Psychological Assessment*.
- Watson, D. (2003). Investigating the construct validity of the dissociative taxon: Stability analyses of normal and pathological dissociation. *Journal of Abnormal Psychology, 112*, 298-305.

- Whisman, M. A., Beach, S. R. H., & Snyder, D. K. (2008). Is marital discord taxonic and can taxonic status be assessed reliably? Results from a national, representative sample of married couples. *Journal of Consulting and Clinical Psychology, 76*, 745-755.
- Whisman, M. A., & Pinto, A. (1997). Hopelessness depression in depressed inpatient adolescents. *Cognitive Therapy and Research, 21*, 345-358.
- Widiger, T. A. (1992). Categorical versus dimensional classification: Implications from and for research. *Journal of Personality Disorders, 6*, 287-300.
- Widiger, T. A. (2001). What can be learned from taxometric analyses? *Clinical Psychology: Science and Practice, 8*, 528-533.
- Widiger, T. A. (2003). Clarification of Lenzenweger and Korfine (1992). *Clinical Psychology: Science and Practice, 10*, 370-371.
- Widiger, T. A., & Clark, L. A. (2000). Toward DSM-V and the classification of psychopathology. *Psychological Bulletin, 126*, 946-963.
- Williamson, D. A., Gleaves, D. H., & Stewart, T. M. (2005). Categorical versus dimensional models of eating disorders: An examination of the evidence. *International Journal of Eating Disorders, 37*, 1-10.
- Williamson, D. A., Womble, L. G., Smeets, M. A. M., Netemeyer, R. G., Thaw, J., Kutlesic, V., & Gleaves, D. H. (2002). The latent structure of eating disorder symptoms: A factor analytic and taxometric investigation. *American Journal of Psychiatry, 159*, 412-418.
- Woodward, S. A., Lenzenweger, M. F., Kagan, J., Snidman, N., & Arcus, D. (2000). Taxonic structure of infant reactivity: Evidence from a taxometric perspective. *Psychological Science, 11*, 296-301.
- Zvolensky, M. J., Forsyth, J. P., Bernstein, A., & Leen-Feldner, E. W. (2007). A concurrent test of the Anxiety Sensitivity Taxon: Its relation to bodily vigilance and perceptions of control over anxiety-related events in a sample of young adults. *Journal of Cognitive Psychotherapy, 21*, 72-90.